




CLASSIC 380

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								FCT		/		/		Fuel tank Capacity		Wet Weight (Approximate) 30HP (22.38KW) 		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB			
									KW	HP	KG	LB															
CL380	3	C	560	1232	7	525	1157	S	22.38	30	106	233	83	183	36	79	/	/	/	/	/	/	189	416	3	3.63	0.25




Weight: boat only.

2025V2

CLASSIC 380

(Short Shaft)

SPECIFICATIONS






SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185						Outboard Engine							GT CONSOLE		RS7		/		Fuel tank Capacity		Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB					
									KW	HP	KG	LB															
CL380	3	C	560	1232	7	525	1157	S	22.38	30	106	233	83	183	25.5	56	20.3	44.8	/	/	/	/	189	416	3	3.63	0.25

Weight: boat only.

2025V2

SPECIFICATIONS






MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								/		/		/		Fuel tank Capacity		 Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB					
									KW	HP	KG	LB											PSI	BAR			
CL380	3	C	560	1232	7	525	1157	S	22.38	30	106	233	83	183	/	/	/	/	/	/	/	/	189	416	3	3.63	0.25

CLASSIC 380 LS

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								FCT		/		/		Fuel tank Capacity		Wet Weight (Approximate) 30HP (22.38KW) 		AIR CHAMBERS 		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB			
									KW	HP	KG	LB															
CL380	3	C	560	1232	7	525	1157	L	22.38	30	106	233	83	183	36	79	/	/	/	/	/	/	189	416	3	3.63	0.25




Weight: boat only.

2025V2

CLASSIC 380 LS

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine						 GT CONSOLE		RS7		/		Fuel tank Capacity		 Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS				
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB					
									KW	HP	KG	LB															
CL380	3	C	560	1232	7	525	1157	L	22.38	30	106	233	83	183	25.5	56	20.3	44.8	/	/	/	/	189	416	3	3.63	0.25




Weight: boat only.

2025V2


CLASSIC 380 LS

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								/		/		/		Fuel tank Capacity		 Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL380	3	C	560	1232	7	525	1157	L	22.38	30	106	233	83	183	/	/	/	/	/	/	/	/	189	416	3	3.63	0.25

Weight: boat only.

2025V2