





SPORT 900

SPECIFICATIONS

HIGHFIELDSPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions $\pm 2.5\%$ Weight $\pm 5\%$) Note: red means lifting eyes.





MODEL	ISO 6185 PART	ISO 6185						 Outboard Engine							/		/		/		Fuel tank Capacity		 Wet Weight (Approximate) 2*300HP (2*223.8KW) +Fuel		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB					
									KW	HP	KG	LB															
SPORT 900	4	B	880	1940	11	825	1819	XL	223.8*2	300*2	600	1323	1780	3924	/	/	/	/	/	/	380	100	2776	6120	6	3.63	0.25

Weight: console, seat.

2025V2

SPORT 900

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions $\pm 2.5\%$ Weight $\pm 5\%$) Note: red means lifting eyes.





MODEL	ISO 6185 PART	ISO 6185						 Outboard Engine							/		/		/		Fuel tank Capacity		 Wet Weight (Approximate) 2*300HP (2*223.8KW) +Fuel		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB					
									KW	HP	KG	LB															
SPORT 900	4	B	880	1940	11	825	1819	XL	223.8*2	300*2	600	1323	1780	3924	/	/	/	/	/	/	380	100	2776	6120	6	3.63	0.25

Weight: console, seat.

2025V2

SPORT 900EPA

SPECIFICATIONS

HIGHFIELDSPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions $\pm 2.5\%$ Weight $\pm 5\%$) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185							Outboard Engine				/		/		/		Fuel tank Capacity		Wet Weight (Approximate) 2*300HP (2*223.8KW) +Fuel		AIR CHAMBERS				
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR		
									KW	HP	KG	LB															
SPORT 900	4	C	1520	3351	19	1425	3142	XL	223.8*2	300*2	600	1323	1780	3924	/	/	/	/	/	/	352	93	2753	6069	6	3.63	0.25

Weight: console, seat.

2025V2