




CLASSIC 310

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice. Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								Molded seat		Oars		/		Fuel tank Capacity		Wet Weight (Approximate) 20HP (14.92KW) 		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	/	/	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL310	2	C	550	1213	5	375	827	S	14.92	20	104.5	230	62	137	3	6.6	1.5	3.3	/	/	/	/	171	377	3	3.63	0.25




Weight: boat only.

2021V6

CLASSIC 310

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice. Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185			#			Shaft	Outboard Engine						FCT		Molded seat		Oars		Fuel tank Capacity		Wet Weight (Approximate) 20HP (14.92KW)		AIR CHAMBERS		
			KG	LB		KG	LB		Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL310	2	C	511	1126	5	375	827	S	6	9.9	36	79	62	137	36	79	3	6.6	1.5	3.3	/	/	138.5	305	3	3.63	0.25




Weight: boat only.

2023V2

CLASSIC 310 LS

(Long Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine						FCT		Molded seat		Oars		Fuel tank Capacity		 Wet Weight (Approximate) 20HP (14.92KW)		AIR CHAMBERS				
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR		
									KW	HP	KG	LB															
CL310	2	C	511	1126	5	375	827	S	6	9.9	36	79	62	137	36	79	3	6.6	1.5	3.3	/	/	138.5	305	3	3.63	0.25




Weight: boat only.

2023V2

CLASSIC 310 FT

(Folding Transom)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine				Molded seat		Oars		/		Fuel tank Capacity		 Wet Weight (Approximate) 20HP (14.92KW)		AIR CHAMBERS						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	/	/		L	GAL	KG	LB	PSI	BAR
									KW	HP	KG	LB															
CL310FT	2	C	550	1213	5	375	827	S	14.92	20	104.5	230	62	137	3	6.6	1.5	3.3	/	/	/	/	171	377	3	3.63	0.25

Weight: boat only.

2023V2