




CLASSIC 380

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.




MODEL	ISO 6185 PART	ISO 6185			#			Shaft	Outboard Engine						Molded seat		Oars		/		Fuel tank Capacity		Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB		KG	LB		Max power		Max weight		KG	LB	KG	LB	KG	LB	/	/	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL380	3	C	637	1404	7	525	1157	S	22.38	30	124.1	274	83	183	3	6.6	1.5	3.3	/	/	/	/	212	467	3	3.63	0.25

Weight: boat only.

CLASSIC 380

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								FCT		Molded seat		Oars		Fuel tank Capacity		 Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL380	3	C	637	1404	7	525	1157	S	22.38	30	124.1	274	83	183	36	79	3	6.6	1.5	3.3	/	/	248	547	3	3.63	0.25




Weight: boat only.

2023V2

CLASSIC 380

(Short Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.




MODEL	ISO 6185 PART	ISO 6185			#			Shaft	Outboard Engine						GT CONSOLE		RS7		Oars		Fuel tank Capacity		Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB		KG	LB		Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL380	3	C	637	1404	7	525	1157	S	22.38	30	124.1	274	83	183	25.5	56	20.3	44.8	1.5	3.3	/	/	254.4	561.1	3	3.63	0.25

Weight: boat only.

CLASSIC 380 LS

(Long Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.




MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								Molded seat		Oars		/		Fuel tank Capacity		 Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	/	/	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL380	3	C	637	1404	7	525	1157	L	22.38	30	124.1	274	83	183	3	6.6	1.5	3.3	/	/	/	/	212	467	3	3.63	0.25

Weight: boat only.

CLASSIC 380 LS

(Long Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.




MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								FCT		Molded seat		Oars		Fuel tank Capacity		 Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL380	3	C	637	1404	7	525	1157	L	22.38	30	124.1	274	83	183	36	79	3	6.6	1.5	3.3	/	/	248	547	3	3.63	0.25

Weight: boat only.

CLASSIC 380 LS

(Long Shaft)

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions $\pm 2.5\%$, weights $\pm 5\%$) Note: red means lifting eyes.

MODEL	ISO 6185 PART	ISO 6185			#			Shaft	Outboard Engine						GT CONSOLE		RS7		Oars		Fuel tank Capacity		Wet Weight (Approximate) 30HP (22.38KW)		AIR CHAMBERS		
			KG	LB		KG	LB		Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
CL380	3	C	637	1404	7	525	1157	L	22.38	30	124.1	274	83	183	25.5	56	20.3	44.8	1.5	3.3	/	/	254.4	561.1	3	3.63	0.25

Weight: boat only.

2023V2