






PATROL 600OB

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions ±2.5%, weights ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine					Water box		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  150HP (111.9KW) +Fuel		AIR CHAMBERS							
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L		GAL	KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PA600 OB	3	C	1580	3483	14	1050	2315	XL	111.9	150	250	551	646	1424	/	/	16.5	36.4	/	/	140	37	997.5	2199	6	3.63	0.25

Boat weight includes: SUS900 console, FS900 seat

PATROL 600OB

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions ±2.5%, weights ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine						Water box		Rollbar		Tow post		Fuel tank Capacity		 Wet Weight (Approximate) 150HP (111.9KW) +Fuel		AIR CHAMBERS						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL		KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PA600 OB	3	C	1580	3483	14	1050	2315	XL	111.9	150	250	551	646	1424	/	/	16.5	36.4	/	/	140	37	997.5	2199	6	3.63	0.25


Boat weight includes: SUS900 console, FS900 seat

PATROL 600ON

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions ±2.5%, weights ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine					Water box		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  150HP (111.9KW) +Fuel		AIR CHAMBERS							
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L		GAL	KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PA600 ON	3	C	1580	3483	14	1050	2315	XL	111.9	150	250	551	646	1424	/	/	16.5	36.4	/	/	140	37	997.5	2199	6	3.63	0.25


Boat weight includes: SUS900 console, FS900 seat

PATROL 600ON

SPECIFICATIONS





SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions ±2.5%, weights ±5%)

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine								Water box		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  150HP (111.9KW) +Fuel		AIR CHAMBERS 		
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR
									KW	HP	KG	LB															
PA600 ON	3	C	1580	3483	14	1050	2315	XL	111.9	150	250	551	646	1424	/	/	16.5	36.4	/	/	140	37	997.5	2199	6	3.63	0.25

Boat weight includes: SUS900 console, FS900 seat

PATROL 600SB

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions ±2.5%, weights ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  150HP (111.9KW) +Fuel		AIR CHAMBERS 						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL		KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PA600 SB	3	C	1580	3483	14	1050	2315	XL	111.9	150	250	551	694	1530	14.4	31.7	16.5	36.4	/	/	140	37	1045.5	2305	6	3.63	0.25

Boat weight includes: SUS900 console, FS900 seat

PATROL 600SB

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions ±2.5%, weights ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  150HP (111.9KW) +Fuel		AIR CHAMBERS						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL		KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PA600 SB	3	C	1580	3483	14	1050	2315	XL	111.9	150	250	551	694	1530	14.4	31.7	16.5	36.4	/	/	140	37	1045.5	2305	6	3.63	0.25



Boat weight includes: SUS900 console, FS900 seat

PATROL 600SN

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions ±2.5%, weights ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		 Wet Weight (Approximate) 150HP (111.9KW) +Fuel		AIR CHAMBERS						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL		KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PA600 SN	3	C	1580	3483	14	1050	2315	XL	111.9	150	250	551	694	1530	14.4	31.7	16.5	36.4	/	/	140	37	1045.5	2305	6	3.63	0.25

Boat weight includes: SUS900 console, FS900 seat

PATROL 600SN

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances: dimensions ±2.5%, weights ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		 Wet Weight (Approximate) 150HP (111.9KW) +Fuel		AIR CHAMBERS 						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL		KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PA600 SN	3	C	1580	3483	14	1050	2315	XL	111.9	150	250	551	694	1530	14.4	31.7	16.5	36.4	/	/	140	37	1045.5	2305	6	3.63	0.25

Boat weight includes: SUS900 console, FS900 seat