




PATROL 860SB

SPECIFICATIONS






SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%)

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  2*300HP (2*223.8KW) +Fuel		AIR CHAMBERS				
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB					
									KW	HP	KG	LB															
PATROL 860 SB	4	C	2500	5512	20	1500	3307	XL	2*223.8	2*300	600	1323	1156	2549	/	/	26	57	/	/	430	113.6	2068	4559	6	3.63	0.25


Boat weight not includes: SUS970 console , FS900 seat

PATROL 860SB

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%)

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  2*300HP (2*223.8KW) +Fuel		AIR CHAMBERS 				
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR		
									KW	HP	KG	LB															
PATROL 860 SB	4	C	2500	5512	20	1500	3307	XL	2*223.8	2*300	600	1323	1156	2549	/	/	26	57	/	/	430	113.6	2068	4559	6	3.63	0.25


Boat weight not includes: SUS970 console , FS900 seat

PATROL 860SN

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%)

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  2*300HP (2*223.8KW) +Fuel		AIR CHAMBERS 				
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR		
									KW	HP	KG	LB															
PATROL 860 SN	4	C	2500	5512	20	1500	3307	XL	2*223.8	2*300	600	1323	1156	2549	/	/	26	57	/	/	430	113.6	2068	4559	6	3.63	0.25

Boat weight not includes: SUS970 console , FS900 seat

PATROL 860SN

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%)

MODEL	ISO 6185 PART	ISO 6185				 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  2*300HP (2*223.8KW) +Fuel		AIR CHAMBERS 					
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG		LB				
									KW	HP	KG	LB															
PATROL 860 SN	4	C	2500	5512	20	1500	3307	XL	2*223.8	2*300	600	1323	1156	2549	/	/	26	57	/	/	430	113.6	2068	4559	6	3.63	0.25



Boat weight not includes: SUS970 console , FS900 seat

PATROL 860SB

SPECIFICATIONS






SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%)

MODEL	ISO 6185 PART	ISO 6185					 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  425HP (317.05KW) +Fuel		AIR CHAMBERS				
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL	KG	LB		PSI	BAR		
									KW	HP	KG	LB															
PATROL 860 SB	4	B	1890	4167	15	1125	2480	UL	317.05	425	465	1025	1156	2549	/	/	26	57	/	/	430	113.6	1933	4262	6	3.63	0.25


Boat weight not includes: SUS970 console , FS900 seat

PATROL 860SB

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  425HP (317.05KW) +Fuel		AIR CHAMBERS						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL		KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PATROL 860 SB	4	B	1890	4167	15	1125	2480	UL	317.05	425	465	1025	1156	2549	/	/	26	57	/	/	430	113.6	1933	4262	6	3.63	0.25


Boat weight not includes: SUS970 console , FS900 seat

PATROL 860SN

SPECIFICATIONS







SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  425HP (317.05KW) +Fuel		AIR CHAMBERS						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL		KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PATROL 860 SN	4	B	1890	4167	15	1125	2480	UL	317.05	425	465	1025	1156	2549	/	/	26	57	/	/	430	113.6	1933	4262	6	3.63	0.25


Boat weight not includes: SUS970 console , FS900 seat

PATROL 860SN

SPECIFICATIONS



SPECIFICATIONS AND MAXIMUM CAPACITIES (Subject to change without notice.Tolerances:Dimensions ±2.5% Weight ±5%)

MODEL	ISO 6185 PART	ISO 6185			 Outboard Engine						Shower kit		Rollbar		Tow post		Fuel tank Capacity		Wet Weight (Approximate)  425HP (317.05KW) +Fuel		AIR CHAMBERS						
			KG	LB	#	KG	LB	Shaft	Max power		Max weight		KG	LB	KG	LB	KG	LB	L	GAL		KG	LB	PSI	BAR		
									KW	HP	KG	LB															
PATROL 860 SN	4	B	1890	4167	15	1125	2480	UL	317.05	425	465	1025	1156	2549	/	/	26	57	/	/	430	113.6	1933	4262	6	3.63	0.25

Boat weight not includes: SUS970 console , FS900 seat